Multiple-Frame Surveys for a Multiple-Data-Source World 2021 Waksberg Lecture

Sharon L. Lohr

October 29, 2021

References from slides

Some of the articles cited in the talk had not yet appeared in the print version of the journal when I prepared the slides for the talk. I have updated those references in this list. A more extensive reference list will be in the paper, scheduled to appear in the December 2021 issue of *Survey Methodology*.

References

- Alleva, G., G. Arbia, P. D. Falorsi, and A. Zuliani (2020). A sampling approach to the estimation of the critical parameters of the SARS-CoV-2 epidemics: An operational design. https://arxiv.org/ftp/arxiv/papers/2004/2004.06068.pdf, last accessed March 28, 2021.
- Beaumont, J.-F. (2020). Are probability surveys bound to disappear for the production of official statistics? *Survey Methodology* 46, 1–28.
- Bethlehem, J. (2016). Solving the nonresponse problem with sample matching? Social Science Computer Review 34, 59–77.
- Biemer, P. P. (1984). Methodology for optimal dual frame sample design. Bureau of the Census SRD Research Report CENSUS/SRD/RR-84/07.
- Brick, J. M., I. F. Cervantes, S. Lee, and G. Norman (2011). Nonsampling errors in dual frame telephone surveys. *Survey Methodology* 37, 1–12.
- Chipperfield, J., J. Chessman, and R. Lim (2012). Combining household surveys using mass imputation to estimate population totals. Australian & New Zealand Journal of Statistics 54, 223–238.

- Choudhry, G. H. (1989). Cost-variable optimization of dual frame design for estimating proportions. In *Proceedings of the Survey Research Methods Section*, pp. 566–571. Alexandria, VA: American Statistical Association.
- Citro, C. F. (2014). From multiple modes for surveys to multiple data sources for estimates. Survey Methodology 40, 137–161.
- Dever, J. A. (2018). Combining probability and nonprobability samples to form efficient hybrid estimates: An evaluation of the common support assumption. In Proceedings of the 2018 Federal Committee on Statistical Methodology (FCSM) Research Conference. https://copafs.org/wp-content/uploads/2020/05/COPAFS-A4_Dever_ 2018FCSM.pdf, last accessed July 7, 2021.
- Hartley, H. O. (1962). Multiple frame surveys. In Proceedings of the Social Statistics Section, pp. 203–206. Alexandria, VA: American Statistical Association.
- Haziza, D. and É. Lesage (2016). A discussion of weighting procedures for unit nonresponse. Journal of Official Statistics 32, 129–145.
- Kim, J. K. and J. N. K. Rao (2012). Combining data from two independent surveys: A model-assisted approach. *Biometrika* 99, 85–100.
- Kim, J. K. and S.-M. Tam (2021). Data integration by combining big data and survey sample data for finite population inference. *International Statistical Review* 89, 382–401.
- Lavallée, P. and L.-P. Rivest (2012). Capture-recapture sampling and indirect sampling. Journal of Official Statistics 28, 1–27.
- Lepkowski, J. M. and R. M. Groves (1986). A mean squared error model for dual frame, mixed mode survey design. Journal of the American Statistical Association 81, 930–937.
- Lohr, S. L. (2011). Alternative survey sample designs: Sampling with multiple overlapping frames. Survey Methodology 37, 197–213.
- Lohr, S. L. (2014). When should a multiple frame survey be used? The Survey Statistician 69 (January), 17–21.
- Lohr, S. L. and J. M. Brick (2014). Allocation for dual frame telephone surveys with nonresponse. *Journal of Survey Statistics and Methodology* 2, 388–409.
- Lohr, S. L. and T. E. Raghunathan (2017). Combining survey data with other data sources. Statistical Science 32, 293–312.

- Lu, B., T. Sahr, R. Iachan, M. Denker, T. Duffy, and D. Weston (2013). Design and analysis of dual-frame telephone surveys for health policy research. World Medical & Health Policy 5, 217–232.
- Lu, Y. (2014). Regression coefficient estimation in dual frame surveys. Communications in Statistics—Simulation and Computation 43, 1675–1684.
- Ranalli, M. G., A. Arcos, M. d. M. Rueda, and A. Teodoro (2016). Calibration estimation in dual-frame surveys. *Statistical Methods & Applications 25*, 321–349.
- Rao, J. N. K. (2021). On making valid inferences by combining data from surveys and other sources. Sankhyā, Series B 83-B, 242–272.
- Rivers, D. (2007). Sampling for web surveys. Paper presented at the Joint Statistical Meetings.
- Särndal, C.-E. and S. Lundström (2005). *Estimation in Surveys with Nonresponse*. Hoboken, NJ: Wiley.
- Skinner, C. J. (1991). On the efficiency of raking ratio estimation for multiple frame surveys. Journal of the American Statistical Association 86, 779–784.
- Thompson, M. E. (2019). Combining data from new and traditional sources in population surveys. *International Statistical Review* 87, S79–S89.
- Waksberg, J. (1998). The Hansen era: Statistical research and its implementation at the US Census Bureau, 1940–1970. Journal of Official Statistics 14, 119–135.
- Waksberg, J., J. M. Brick, G. Shapiro, I. Flores-Cervantes, and B. Bell (1997). Dual-frame RDD and area sample with particular focus on low-income population. In *Proceedings of* the Survey Research Methods Section, pp. 713–718. Alexandria, VA: American Statistical Association.
- Yang, S. and J. K. Kim (2020). Statistical data integration in survey sampling: A review. Japanese Journal of Statistics and Data Science 3, 625–650.
- Yang, S., J. K. Kim, and Y. Hwang (2021). Integration of data from probability surveys and big found data for finite population inference using mass imputation. Survey Methodology 47, 29–58.
- Zhang, L.-C. and R. L. Chambers (Eds.) (2019). *Analysis of Integrated Data*. Boca Raton, FL: CRC Press.